P E 07/28/2005

PTO/SB/08A (08-03) Approved for use through 07/31/2006, 0MB 0551-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE o a collection of information unless it contains a valid OMB control number.

Under the Paperwork Reduction Act of 1993, no persons are required	Complete if Known		
Substitute for form 1449/PTO	Application Number	10/799,444	
	Filing Date	March 12, 2004	
INFORMATION DISCLOSURE	First Named Inventor	Boyd T. Tolton	
STATEMENT BY APPLICANT	Art Unit	2878	
(Lice as many sheets as necessary)	Evaminer Name		

Attorney Docket Number | LAMA122586 of 2 Sheet 1 U. S. PATENT DOCUMENTS Pages, Columns, Lines, Where Name of Patentee or Document Number Publication Date Cite No. Examine Relevant Passages or Relevant Applicant of Cited Document MM-DD-YYYY Initials\* Figures Appear Number-Kind Code<sup>2</sup> (Kinown) US- 4,520,265 GRIGGS et al. 05-28-1985 FRENCH US- 4,676,642 06-30-1987 NELSON et al. US- 6,750,453 06-15-2004 US-US-110 LIS US-US-US-US-IIS. US-US-119. US-IIS. US-

		FORE	GN PATENT DOCL	IMENTS		
Examiner Initials*	Cite No.1	Foreign Patent Document	Publication Date	Name of Patentee or Applicant of Cited Document	Peges, Columns, Lines, Where Relevant Pessages	6
		Country Code <sup>3</sup> "Number <sup>4</sup> "Kind Code <sup>5</sup> (8' known)	MM-DD-YYYY		Or Relevant Figures Appear	
		WO 00/55602	09-21-2000	LAUFER		<u>_</u>
						⊢
						-
						-
						-
			_l		l	_
Examiner	1	(Direct Malacia)		Date Considered	07/25/2010	

Signature /Diura Malevic/ //U/Id NIGHTWIC

FEXAMINER. Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not present in the conformation of Japanese patent documents, the indicated on the year of the regin of the Engineer must proceed the small number of the patient document. "Kind discument by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. "Applicant is to place a check mork here if English language

Increasion is affacted.

This collection of Information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the INST collection of Information is required to 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, but USFTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including pathering, preparing, and submitting the completed application for the USFTO. These will very coparating upon the confidential of the USFTO. These will very coparating upon the information of the USFTO. The value to the USFTO. The value of Take Value of the USFTO. The Value of Take Value of T

TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450. If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

Receipt dage: 07/28/2005

PTO/SB/08B (08-03)
Approved for use through 07/31/2006. OMB 0651-0031
Approved for use through 07/31/2006. O

EMARIE Under the Paperwo	d. Daylanding Aut of 1995, no persons as	U.S. Patent o moulred to respond to e collection	of information unless it contains e valid OMB control number.
Substitute for form 1449PTO INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use as many shoets as necessary)		100	Complete if Known
		Application Number	10/799,444
		Filing Date	March 12, 2004
		First Named Inventor	Boyd T. Tolton
		Art Unit	2878
		Examiner Name	
Sheet 2	of 2	Attorney Docket Number	LAMA122586

		NON PATENT LITERATURE DOCUMENTS	
Examiner Initials*	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T <sup>2</sup>
		B.T. Tolton, D. Yashcov, 'A Concept for a Gas-Filter Correlation Radiometer to Remotely Sense the Amospheric Carbon Disoide Column from Space", Geoscience and Remote Sensing Symposium, 2002. IGARRS '02. 2002 IEEE International, June 24-28, 2002, vol. 4, 24 June 2002, pages 2118-2120.	
		Ward, T.V., Zwick, H.H., "Gas cell correlation spectrometer: GASPEC", Applied Optics, vol. 14, no. 12, December 1975, pages 2896-2904.	
		*	
			L
			·

Examiner		Date	07/25/2010
Signature	/Djura Malevic/	Considered	0772072070

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

considered, include copy of this form with next communication to applicant.

1. Applicant's unpol cuttion designation number (optional). 2. Applicant is not place a check mark here if English language Translation is statched.

This collection of information is required by 37 CFR 198. The information is required to obtain or retain a benefit by the public which is to file faired by this USPTO This collection of information is required by 37 CFR 198. The information is required to obtain or retain a benefit by the public which is to file faired by the USPTO process) an application. Confiderably is governed by 35 U.S. C. 12 and 37 CFR 11.4. This collection is estimated to late 2 hours to commends to the gathering, preparing, and submitting the completed application form by the USPTO. The way vary depending upon the Chief Information Officer, U.S. Patent and amount of time you require to complete the form endors augustions for model of TSP and the Chief Information Officer, U.S. Patent and Tractemez Office, P.O. Bos 1450, Alexandris, V.2.2215-459.

Obstruction of TSP attents, P.O. Bos 1450, Alexandris, V.A. 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.